




PART NO.	WIRE SIZE	W ₁	W ₂	H ₁	H ₂	MATING PART NO.	MATERIAL	TREATMENT
7114-1238 (7B14-1238)	AVO. 3~0.5	3.2	4.3	2.7	4.1	7116-1342 ETC.	KFC t=0.4	TIN PLATING
7114-1239	AVO. 85~2	3.7	5.3	3.5	5.1	7116-1343 ETC.		

注記


1. 通用ハウジング品番
: 7122-1610 (7B22-1610) ETC.
2. () 内品番は、エアバッグ回路及び特別管理回路を
使用する時に適用すること。

NOTES

1. APPLICABLE HOUSING PART NO
: 7122-1610 (7B22-1610) ETC.
2. IN THE CASE OF A/B CIRCUITS AND
CONTROL CIRCUITS USE PART NO. ()



SEC. A-A



VIEW Y

ISSUE MARK

△	96.07.19	CORRECTION OF A CLERICAL ERROR	C96-M358	H. K	CUSTOMER CUSTOMER PART NO.		CUSTOMER DWG NO.		MATL SPEC	SEE TABLE	TREAT. & FIN.	SEE TABLE		
	90.09.07	NEW	C90-L908	M. K	OFFICE		TRIAL PART NO.		NAME S TYPE TERMINAL					
LET	DATE	REVISION RECORD	NO	CHKD	VENDOR		VENDOR NO.		(MALE)					
GENERAL TOLERANCE					DWG TYPE	DWG SOURCE	DWG DATE	UNIT	SCL	ANGLE	PART NO. CH CODE			
	10MAX	50MAX	100MAX	250MAX	250OVR	ANGLE	ECCENT	R	NEW	90.09.07	mm	5/1	3	7114-1238 (7B14-1238) ETC.
A	±0.15	±0.2	±0.3	±0.5	±0.75	±30'	0.1	APPROVED	CHECKED	CHECKED	DESIGN	DRAWN		DWG NO 7114-1238:R
B	±0.2	±0.3	±0.55	±0.95	±1.4	±30'	0.1	神田		渡辺	ISIZUKA	Y. MASUDA		YAZAKI CORPORATION
©	±0.3	±0.5	±0.8	±1.4	±2	±30'	0.15	96.07.25		96.7.23	82.08.20	96.07.19		
SPECIFIED					MASS									