




PART NO. AND CH. CODE	Δ_3 W ₁ ±0.4	Δ_3 W ₂ ±0.4	Δ_3 H ₁	Δ_3 H ₂	A	B	X	Y	Δ WIRE SIZE
7114-4020 Δ (7B14-4020)	2.60	3.70	(2.44)	(3.30)	3.00	6.20	2.80	8.40	AVS/AVSS/CAVS 0.3~0.5 CHFUS/HFSS 0.35~0.5
7114-4021	3.30	4.60	(3.07)	(4.01)	4.00	7.20	8.00	10.0	AVS 0.5~1.25 CAVS 0.85~1.25 AVSS 0.75~1.25 CHFUS/HFSS 0.75~1.5
7114-4022	4.30	4.60	(4.12)	(4.01)	4.00	7.20	8.00	10.0	AVS/AVSS/HFSS 2




SEC. P-P



SEC. Q-Q



2.30



SEC. C-C

注記

1. かん合相手品番: 7116-4020 ETC.
(7B16-4020 ETC.)
2. () 内品番は、エアバッグ (A/B) 回路及び
特別管理回路に使用する時に適用すること。

NOTES

1. MATING PART NO. : 7116-4020 ETC.
(7B16-4020 ETC.)
2. PART NUMBERS IN PARENTHESIS SHALL
BE USED FOR AIR BAG (A/B) CIRCUITS
AND OTHER CIRCUITS DESIGNATED
FOR SPECIAL MONITORING.

Δ	09.08.19	CHANGED PART NAME, ETC.	C09-Z597	H. I
Δ	98.07.18	CHANGED DIMENSION & ADDED NOTE	C97-N451	H. K
Δ	96.05.27	ADDED A/B PART NO.	C96-L824	H. K
Δ	93.02.23	RENEW	C93-6226	I. I
	88.08.24	NEW	8MC-1050	N. S
LET	DATE	REVISION RECORD	NO.	CHKD

GENERAL TOLERANCE

	10MAX	50MAX	100MAX	250MAX	2500VR	ANGLE	ECCENT	
A	±0.15	±0.2	±0.3	±0.5	±0.75	±30'	0.1	
B	±0.2	±0.3	±0.55	±0.95	±1.4	±30'	0.1	
C	±0.3	±0.5	±0.8	±1.4	±2	±30'	0.15	
SPECIFIED							MASS	

CUSTOMER		MATL. SPEC.		TREAT. & FIN.	
CUSTOMER PART NO.		CUSTOMER DWG NO.		NAME	
OFFICE		TRIAL PART NO.		PART NO.	
VENDOR		VENDOR NO.		CH. CODE	
DWG TYPE	DWG SOURCE	DWG DATE	UNIT	SCL	ANGLE
R	NEW	88.08.24	mm	5/1	3
APPROVED	CHECKED	CHECKED	DESIGN	DRAWN	
M. YAMANASHI	T. MIWA	H. ISHIDA	M. TSUJI	M. MORAL	
09.08.19	09.08.19	09.08.19	87.07.27	09.08.19	

MATL. SPEC.		TREAT. & FIN.	
CUSTOMER PART NO.		CUSTOMER DWG NO.	
OFFICE		TRIAL PART NO.	
VENDOR		VENDOR NO.	
DWG TYPE	DWG SOURCE	DWG DATE	UNIT
R	NEW	88.08.24	mm
APPROVED	CHECKED	CHECKED	DESIGN
M. YAMANASHI	T. MIWA	H. ISHIDA	M. TSUJI
09.08.19	09.08.19	09.08.19	87.07.27
PART NO.		CH. CODE	
7114-4020 ETC. Δ (7B14-4020)		7114-4020:R	
DWG NO.		SET DWG NO.	
7114-4020:R			
YAZAKI CORPORATION			

ISSUE MARK