





PART NO. AND CH. CODE	W <sub>1</sub> ±0.4	W <sub>2</sub> ±0.4	ΔH <sub>1</sub>	ΔH <sub>2</sub>	A <sub>1</sub>	A <sub>2</sub>	B	ΔX	ΔY	ΔZ	WIRE SIZE
7114-6040	3.60	4.70	(3.34)	(4.20)	4.00	1.70	7.20	0	0	0	AVS 0.5~AVS 1.25 EQUIVALENT
7114-6041	4.90	6.40	(4.62)	(5.66)	4.00	1.70	7.20	0.50	1.90	2.90	AVS 2~AVS 3 EQUIVALENT
7114-6042	6.80	8.60	(6.48)	(7.53)	5.50	3.00	11.00	0.50	3.20	5.20	AVS 5~AV 8 EQUIVALENT




J



SEC. K-K



SEC. M-M



注記

△ 1. 嵌合相手品番：7116-6040 ETC.

NOTE

△ 1. MATING PART NO. : 7116-6040 ETC.

ISSUE MARK

<p>△ 98.08.04 ADDED DIMENSION &amp; CHANGED NOTES C97-N463 H. K</p>				<p>CUSTOMER</p>				<p>MATL. △ C2600 (t=0.40)</p>				<p>TREAT. &amp; FIN.</p>			
<p>92.05.29 NEW C92-L429 T. T</p>				<p>CUSTOMER PART NO.</p>				<p>CUSTOMER DWG NO.</p>				<p>NAME 312 TERMINAL MALE</p>			
<p>LET DATE REVISION RECORD NO. CHKD</p>				<p>OFFICE TRIAL PART NO.</p>				<p>VENDOR</p>				<p>-----</p>			
<p>GENERAL TOLERANCE</p>												<p>VENDOR NO.</p>			
	10MAX	50MAX	100MAX	250MAX	2500VR	ANGLE	ECCENT	DWG TYPE	DWG SOURCE	DWG DATE	UNIT	SCL	ANGLE	<p>PART NO. 7114-6040 ETC.</p>	
A	±0.15	±0.2	±0.3	±0.5	±0.75	±30'	0.1	R	NEW	92.05.29	mm	5/1	3	<p>CH. CODE 7114-6040 : R</p>	
B	±0.2	±0.3	±0.55	±0.95	±1.4	±30'	0.1	APPROVED	CHECKED	CHECKED	DESIGN	DRAWN		<p>DWG NO. 7114-6040 : R SET DWG NO.</p>	
(C)	±0.3	±0.5	±0.8	±1.4	±2	±30'	0.15	<p>加藤 山梨 孝福</p>		<p>MAEDA M. YASUDA</p>		<p>遠藤友</p>		<p>YAZAKI CORPORATION</p>	
<p>SPECIFIED MASS g</p>						<p>98.8.27 98.08.26 98.08.17</p>		<p>87.08.08 98.08.04</p>		<p>-----</p>					